

MODULE 11A

FOR B1 CERTIFICATION

TURBINE AEROPLANE AERODYNAMICS, STRUCTURES AND SYSTEMS

**Aviation Maintenance Technician
Certification Series**



72413 U.S. Hwy 40
Tabernash, CO 80478-0270 USA

www.actechbooks.com

+1 970 726-5111

AVAILABLE IN
*Printed Edition and Electronic
(eBook) Format*



AVIATION MAINTENANCE TECHNICIAN CERTIFICATION SERIES

Contributing Authors	Thomas Forenz Kurt C. Gibson Charles L. Rodriguez Peter Vosbury
Layout/Design	Michael Amrine

Version 004.1 - Effective Date 04.30.2021

Copyright © 2016–2021 — Aircraft Technical Book Company. All Rights Reserved.

No part of this publication may be reproduced, stored in a retrieval system, transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of the publisher.

To order books or for Customer Service, please call +1 970 726-5111.

www.actechbooks.com

Printed in the United States of America

ISBN 978-1941144947



9 781941 144947

For comments or suggestions about this book, please call or write to:
1.970.726.5111 | comments@actechbooks.com

WELCOME

The publishers of this Aviation Maintenance Technician Certification Series welcome you to the world of aviation maintenance. As you move towards EASA certification, you are required to gain suitable knowledge and experience in your chosen area. Qualification on basic subjects for each aircraft maintenance license category or subcategory is accomplished in accordance with the following matrix. Where applicable, subjects are indicated by an "X" in the column below the license heading.

For other educational tools created to prepare candidates for licensure, contact Aircraft Technical Book Company.

We wish you good luck and success in your studies and in your aviation career!

REVISION LOG

VERSION	EFFECTIVE DATE	DESCRIPTION OF CHANGE
001	2015 10	Module Creation and Release
002	2016 01	Minor Revisions
003	2017 09	Format Update
003.1	2019 02	Added section on Pneumatic and Pressure Pumps in Sub-Module 16.
003.2	2019 05	Corrected incorrect answers in Sub-Module 20.
004	2019 12	Typographic format updated; Sequencing of content to Appendix 1 refined.
004.1	2021 04	Enhanced content of M11A Sub-Module 08(b)

Version 4 - Enhanced or modified content within the following Sub-Modules:

- Sub-Module 02 Bonding Procedures, NACA Scoops
- Sub-Module 03 Flight Control Surfaces, Image of A330 emergency slide image of turbine nacelle
- Sub-Module 07 Images of interior paneling and cargo container added for clarity
- Sub-Module 19 Common Core Systems
- Sub-Module 20 IFE Systems and Servers
- Sub-Module 21 Airbus Information System Architecture

TURBINE AEROPLANE AERODYNAMICS, STRUCTURES AND SYSTEMS

Welcome	iii
Revision Log.....	iii
Forward.....	iv
EASA License Category Chart	v
General Knowledge Requirements	v
Contents	xiii

SUB-MODULE 01

THEORY OF FLIGHT

Knowledge Requirements	1.1
Aeroplane Aerodynamics And Flight Controls	1.2
Primary Flight Control Surfaces.....	1.2
Operation And Effect Of Roll Control Devices.....	1.3
Ailerons	1.3
Spoilers	1.4
Operation And Effect Of Pitch Control Devices....	1.5
Elevators	1.5
Stabilators	1.5
Variable Incidence Stabilizers.....	1.5
Canards	1.5
Operation And Effect Of Yaw Control Devices.....	1.6
Rudders	1.6
Rudder Limiters	1.6
Secondary Or Auxiliary Control Surfaces.....	1.7
Operation And Effect Of Tabs	1.7
Trim Tabs	1.7
Balance Tabs	1.7
Servo Tabs.....	1.8
Anti-Servo/Anti-Balance Tabs.....	1.9
Spring Tabs	1.9
Aerodynamic Balance Panels	1.9
Mass Balance	1.9
Control Surface Bias	1.9
Flaps	1.10
Flaperons.....	1.12
Slats	1.12
Slots.....	1.13
Elevons And Ruddervators	1.13
Drag Inducing Devices	1.14
Spoilers	1.14
Speed Brakes.....	1.14
Boundary Layer Controls	1.14
Vortex Generators.....	1.14
Wing Fence	1.14

Stall Wedges	1.15
Sawtooth Leading Edge	1.15
Wingtip Vortices	1.15
Winglet	1.16
High Speed Flight	1.16
Speed Of Sound.....	1.16
Mach Number, Subsonic, Transonic And Supersonic Flight	1.16
Shock Wave.....	1.17
Normal Shock Wave	1.17
Oblique Shock Wave	1.17
Expansion Wave.....	1.18
Critical Mach Number	1.18
Affects Of Sweepback On Critical Mach Number	1.18
Compressibility Buffet	1.19
Aerodynamic Heating.....	1.19
Area Rule	1.20
Engine Intake Airflow Of High Speed Aircraft	1.20
Questions	1.21
Answers	1.22

SUB-MODULE 02

AIRFRAME STRUCTURES — GENERAL CONCEPTS

Knowledge Requirements	2.1
Airworthiness Requirements for Structural Strength	2.2
Structural Classification	2.2
Primary Structure	2.2
Secondary Structure	2.2
Tertiary Structure	2.2
Damage Tolerant Concepts.....	2.2
Fail Safe.....	2.2
Safe Life	2.3
Damage Tolerance	2.3
Zonal And Station Identification Systems	2.3
Station Numbering	2.3
Zonal Identification System	2.4
Access and Inspection Panels	2.4
Structural Stresses	2.6
Hoop Stress.....	2.7
Metal Fatigue	2.7
Drainage and Ventilation Provisions.....	2.8
Drainage	2.8
Ventilation.....	2.8
System Installation Provisions.....	2.8
Lightening Strike Protection and Bonding	2.9
Bonding Procedures And Precautions	2.10

CONTENTS

Airframe Structure Methods	2.10	Attachment	3.7
Fuselage	2.10	3.2 - Wings (ATA 54)	3.8
Truss Type.....	2.10	Wing Construction	3.8
Stressed Skin Monocoque Type	2.10	Wing Spars	3.10
Semimonocoque Type.....	2.11	Wing Ribs	3.11
Beams Floor Structures	2.12	Wing Roots And Tips	3.11
Struts And Ties.....	2.12	Wing Skin	3.12
Methods Of Skinning.....	2.12	Fuel Storage	3.13
Doubblers	2.12	Attachments.....	3.16
Wing, Empennage and Engine Attachment	2.13	Landing Gear	3.16
Structure Assembly Techniques	2.14	Pylons	3.16
Anti-Corrosion Protection	2.16	Control Surfaces	3.16
Methods of Surface Protection.....	2.16	High Lift/Drag Devices.....	3.17
Anodizing.....	2.17	3.3 - Stabilizers (ATA 55)	3.17
Chromating	2.18	Stabilizer Construction.....	3.17
Cladding.....	2.18	Control Surface Attachment	3.18
Painting	2.18	3.4 - Flight Control Surfaces (ATA 55)	3.18
Surface Cleaning	2.18	Construction And Attachment	3.18
Exterior Aircraft Cleaning	2.18	Balancing Flight Controls	3.19
Airframe Symmetry.....	2.19	Static Balancing	3.19
Checking Dihedral	2.19	Aerodynamic (Dynamic) Balancing.....	3.19
Checking Incidence	2.20	3.5 - Nacelles And Pylons (ATA 54).....	3.19
Checking Fin Verticality	2.21	Nacelles	3.19
Checking Engine Alignment	2.21	Nose Cowl.....	3.20
Symmetry Check	2.21	Cowling Doors	3.20
Questions	2.23	Pylons	3.20
Answers	2.24	Firewalls	3.20
		Engine Mounts	3.21
		Questions	3.23
		Answers	3.24

SUB-MODULE 03

AIRFRAME STRUCTURES — AEROPLANES

Knowledge Requirements	3.1
3.1 - Fuselage (ATA52/53/56)	3.2
Fuselage Construction.....	3.2
Pressurization Sealing	3.2
Fuselage Attachments	3.3
Wings	3.3
Stabilizers	3.3
Pylons	3.3
Undercarriage	3.3
Seat Installation	3.3
Cargo Loading System	3.4
Doors And Emergency Exits	3.4
Construction	3.4
Mechanisms	3.5
Operation And Safety Devices.....	3.6
Windows And Windscreen Attachment	3.6
Construction	3.6

SUB-MODULE 04

AIR CONDITIONING AND CABIN PRESSURIZATION (ATA 21)

Knowledge Requirements	4.1
4.1 - Air Supply	4.2
Air Supply	4.2
Bleed Air.....	4.2
APU	4.3
Ground Cart	4.3
4.2 - Air Conditioning Systems.....	4.4
Air Cycle Air Conditioning	4.4
System Operation	4.4
Pneumatic System Supply.....	4.4
Component Operation	4.6
Pack Valve	4.6
Bleed Air Bypass	4.6

Primary Heat Exchanger	4.6	Types Of Pressure	5.8
Refrigeration Turbine Unit or Air Cycle Machine		Pressure Instruments	5.9
And Secondary Heat Exchanger	4.6	Engine Oil Pressure	5.9
Water Separator	4.7	Manifold Pressure	5.9
Refrigeration Bypass Valve	4.7	Engine Pressure Ratio (EPR)	5.10
Distribution Systems.....	4.8	Fuel Pressure	5.10
Flow Control.....	4.9	Hydraulic Pressure	5.11
Temperature Control	4.11	Vacuum Pressure	5.11
Humidity Control.....	4.11	Pressure Switches	5.12
Vapor Cycle Air Conditioning	4.11	Pitot-static Systems	5.13
Theory Of Refrigeration	4.12	Pitot Tubes And Static Vents	5.13
Basic Vapor Cycle	4.14	Air Data Computers (ADC) And	
Vapor Cycle Air Conditioning System Components	4.15	Digital Air Data Computers (DADC)	5.15
Refrigerant	4.15	Pitot-static Pressure Sensing Flight Instruments	5.16
Receiver Dryer	4.15	Altimeters and Altitude	5.17
Expansion Valve.....	4.17	Vertical Speed Indicator.....	5.23
Evaporator	4.18	Airspeed Indicators	5.24
Compressor.....	4.19	Remote-Sensing And Indication.....	5.26
Condenser.....	4.20	Synchro Type Remote-Indicating Instruments ..	5.27
Service Valves	4.21	DC Selsyn Systems	5.27
4.3 - Pressurization.....	4.21	AC Synchro Systems	5.28
Pressurization Theory	4.21	Remote Indicating Fuel And	
Pressure Of The Atmosphere	4.21	Oil Pressure Gauges.....	5.29
Temperature And Altitude.....	4.23	Mechanical Movement Indicators.....	5.30
Pressurization Terms	4.24	Tachometers	5.30
Pressurization Systems	4.24	Mechanical Tachometers	5.31
Pressurization Modes	4.26	Electric Tachometers	5.32
Cabin Pressure Controllers.....	4.26	Synchroscope	5.33
Control Valve (Outflow Valve).....	4.27	Accelerometers	5.33
Cabin Air Pressure Safety Valve Operation.....	4.29	Stall Warning And Angle Of Attack (AOA)	
Pressurization Indication	4.29	Indicators.....	5.35
Pressurization Operation	4.30	Temperature Measuring Instruments	5.37
Cabin Pressurization Troubleshooting.....	4.30	Non-Electric Temperature Indicators	5.37
4.4 - Safety And Warning Devices	4.31	Electrical Temperature Measuring Indication....	5.38
Protection And Warning Devices.....	4.31	Electrical Resistance Thermometer	5.38
Questions	4.33	Ratiometer Electrical Resistance Thermometers	5.39
Answers	4.34	Thermocouple Temperature Indicators	5.40
		Turbine Gas Temperature Indicating Systems	5.41
		Total Air Temperature Measurement	5.42
		Direction Indicating Instruments	5.43
		Direct Indicating Magnetic Compass	5.44
		Vertical Magnetic Compass.....	5.46
		Remote Indicating Compass	5.47
		Remote Indicating Slaved Gyro Compass	
		(Flux Gate Compass)	5.47
		Solid State Magnetometers.....	5.49
		Gyroscopic Instruments.....	5.49

SUB-MODULE 05

INSTRUMENTS/AVIONIC SYSTEMS

Knowledge Requirements	5.1
Classifying Instruments.....	5.3
Flight Instruments	5.3
Engine Instruments	5.4
Navigation Instruments	5.4
Classification By Operating Principles.....	5.5
Pressure Measuring Instruments.....	5.5

CONTENTS

Sources Of Power For Gyroscopic Instruments..	5.49	Radar Beacon Transponder	5.80
Pressure Driven Gyroscopic Instrument Systems	5.49	Transponder Tests And Inspections	5.82
Electrically-Driven Gyroscopic Instrument Systems	5.49	Altitude Encoders	5.84
Principles Of Gyroscopic Instruments	5.50	Collision Avoidance Systems	5.84
Mechanical Gyros	5.50	Traffic Collision Avoidance Systems (TCAS)	5.84
Solid State Gyros And Related Systems	5.51	ADS-B	5.86
Ring Laser Gyros (RLG)	5.51	Radio Altimeter	5.88
Microelectromechanical Based Attitude And		Weather Radar	5.88
Directional Systems (MEMS)	5.53	Emergency Locator Transmitter (ELT).....	5.92
Attitude Heading And Reference Systems	5.53	Global Positioning System (GPS)	5.94
Common Gyroscopic Instruments	5.54	Wide Area Augmentation System	5.96
Vacuum-Driven Attitude Gyros.....	5.54	Inertial Navigation System (INS) And	
Electric Attitude Indicators	5.55	Inertial Reference System (IRS).....	5.96
Gyroscopic Direction Indicator Or		Communication And Navigation	
Directional Gyro (DG).....	5.55	Avionics Installations	5.97
Turn Coordinators	5.56	Questions	5.99
Turn-And-Slip Indicator	5.56	Answers	5.100
Glass Cockpit.....	5.58		
Avionics Systems	5.58	SUB-MODULE 06	
AutoFlight	5.58	ELECTRICAL POWER (ATA 24)	
Basis For Autopilot Operation	5.60	Knowledge Requirements	6.1
Autopilot Components	5.60	Battery	6.2
Sensing Elements.....	5.60	Primary Cell Batteries	6.2
Computer and Amplifier	5.60	Secondary Cell Batteries.....	6.2
Output Elements	5.60	Dry Charged (Flooded) Lead Acid Batteries	6.3
Command Elements	5.62	Valve-Regulated (Sealed) Lead-Acid Batteries	
Feedback or Follow up Element.....	5.62	(VRLA)	6.3
Autopilot Functions	5.63	Nickel Cadmium (NiCd) Batteries	6.3
Yaw Dampening.....	5.64	Lithium-Ion Batteries.....	6.4
Automatic Flight Control System	5.64	Battery Installations And Operation	6.5
Flight Director Systems	5.64	AC Power Generation	6.6
Communications	5.66	AC Alternators	6.8
Very High Frequency (VHF) Radios.....	5.66	Alternator Drive	6.10
High Frequency Radios	5.67	AC Alternators Control Systems.....	6.11
Selective Calling	5.67	DC Power Generation	6.14
Satellite Communication Systems	5.67	Functions of Generator Control Systems	6.14
Service Interphone System	5.67	Voltage Regulation	6.14
Navigation Systems	5.68	Over voltage Protection	6.14
VOR Navigation System.....	5.68	Parallel Generator Operations	6.14
Automatic Direction Finder (ADF).....	5.71	Over Excitation Protection.....	6.14
Instrument Landing Systems (ILS)	5.74	Differential Voltage.....	6.14
Localizer.....	5.75	Reverse Current Sensing.....	6.15
Glideslope.....	5.76	Generator Controls for High Output Generators....	6.15
Compass Locators	5.76	Other Voltage Regulation	6.15
Marker Beacons	5.77	Carbon Pile Regulators.....	6.16
Distance Measuring Equipment (DME)	5.78	Three Unit Regulators.....	6.16
Area Navigation (RNAV)	5.80	Power Distribution	6.18

Power Distribution On Small Multi-Engine Aircraft	6.18
Power Distribution on Large Aircraft	6.20
Split Bus Systems	6.20
Parallel Bus Systems	6.22
Split Parallel Systems	6.22
Inverters, Transformers And Rectifiers	6.24
Inverters	6.24
Rotary Inverters	6.24
Permanent Magnet Rotary Inverter	6.24
Inductor Type Rotary Inverter	6.25
Static Inverters	6.26
Transformers	6.29
Current Transformers	6.32
Transformer Losses	6.32
Power in Transformers	6.32
Rectifiers	6.33
Silicon Controlled Rectifiers	6.34
Transformer Rectifiers	6.36
Circuit Protection	6.36
Current Limiting Devices	6.36
Fuses	6.37
Circuit Breakers	6.37
Emergency Power Generation	6.37
Standby Power	6.38
External/Ground Power	6.38
Questions	6.41
Answers	6.42

SUB-MODULE 07

EQUIPMENT AND FURNISHINGS (ATA 25)

Knowledge Requirements	7.1
Emergency Equipment Requirements	7.2
Seats, Harnesses, And Belts	7.3
Seats	7.3
Seat Belts And Harnesses	7.4
Cabin Layout	7.4
Equipment Layout	7.4
Cabin Furnishing Installation	7.5
Cabin Entertainment Equipment	7.5
Galley Installation	7.5
Cargo Handling And Retention Equipment	7.6
Airstairs	7.7
Questions	7.9
Answers	7.10

SUB-MODULE 08

FIRE PROTECTION (ATA 26)

Knowledge Requirements	8.1
Requirements For Fire To Occur	8.2
Classes Of Fires	8.2
Fire Zones	8.2
Fire Prevention	8.3
Fire Detection And Warning Systems	8.3
Requirements For Overheat And	
Fire Detection Systems	8.3
Thermal Switch Systems	8.4
Thermocouple Systems	8.4
Continuous Loop Systems	8.5
Fenwal System	8.5
Kidde System	8.5
Sensing Element	8.6
Combination Fire and Overheat Warning	8.6
Temperature Trend Indication	8.7
System Test	8.7
Fault Indication	8.7
Dual Loop Systems	8.7
Automatic Self Interrogation	8.7
Support Tube Mounted Sensing Elements	8.7
Fire Detection Control Unit	
(Fire Detection Card)	8.8
Pressure Type Sensor Responder Systems	8.8
Pneumatic Continuous Loop Systems	8.8
Averaging Function	8.8
Discrete Function	8.8
Smoke, Flame, And Carbon Monoxide	
Detection Systems	8.9
Smoke Detectors	8.9
Light Refraction Type	8.10
Ionization Type	8.10
Flame Detectors	8.10
Carbon Monoxide Detectors	8.10
Fire Extinguishing Systems	8.11
Fire Extinguisher Agents	8.11
Fixed Container Fire Extinguishing Systems	8.12
Containers	8.12
Discharge Valves	8.13
Pressure Indication	8.14
Two Way Check Valve	8.14
Discharge Indicators	8.14
Thermal Discharge Indicator (Red Disk)	8.14
Normal Discharge Indicator (Yellow Disk)	8.14
Fire Switch	8.14

CONTENTS

Fixed Fire Protection: Cargo Compartments	8.15
Cargo Compartment Classification	8.15
Cargo Compartment Fire Protection And Warning	8.16
Smoke Detector Systems	8.16
Cargo Compartment Extinguishing System..	8.17
Fixed Fire Protection: Lavatories	8.17
Lavatory Smoke Detector and Warning Systems	8.17
Lavatory Fire Extinguisher Systems	8.18
Fire Detection System Maintenance	8.19
Fire Detection System Troubleshooting	8.20
Fire Extinguisher System Maintenance	8.21
Container Pressure Check	8.21
Discharge Cartridges	8.21
Agent Containers	8.21
Portable Fire Extinguishers	8.22
Cockpit and Cabin Interiors	8.22
Portable Extinguisher Types	8.22
Operation of Portable Fire Extinguishers	8.23
Inspection of Portable Fire Extinguishers	8.23
Maintenance of Portable Fire Extinguishers	8.23
Questions	8.25
Answers	8.26

SUB-MODULE 09

FLIGHT CONTROLS (ATA 27)

Knowledge Requirements	9.1
Primary Flight Controls	9.2
Secondary Flight Controls	9.2
Trim Controls	9.2
Active Load Control	9.4
High Lift Devices	9.5
Lift Dump and Speed Brakes	9.5
Control System Operation	9.6
Mechanical Control	9.6
Control Cables	9.7
Push-Pull Tubes	9.8
Bellcranks and Levers	9.9
Jackscrews	9.9
Torque Tubes	9.9
Hydromechanical Control	9.9
Electrical and Electronic Controls	9.10
Pneumatic	9.11
Fly-By-Wire Control	9.11
Fly-By-Optics	9.12
Fly-By-Wireless	9.12
Artificial Feel	9.12

Yaw Damper	9.13
Mach Trim	9.13
Rudder Limiter	9.13
Gust Lock Systems	9.14
Balancing and Rigging	9.14
Static Balance	9.14
Dynamic Balance	9.15
Rebalancing Procedures	9.15
Rebalancing Methods	9.16
Aircraft Rigging	9.17
Stall Protection And Warning Systems	9.17
Questions	9.19
Answers	9.20

SUB-MODULE 10

FUEL SYSTEMS (ATA 28)

Knowledge Requirements	10.1
Fuel System Independence	10.2
Fuel System Lightning Protection	10.2
Fuel Flow	10.3
Flow Between Interconnected Tanks	10.3
Unusable Fuel Supply	10.3
Fuel System Hot Weather Operation	10.3
Fuel Tanks	10.3
Fuel Tank Tests	10.3
Fuel Tank Installation	10.4
Fuel Tank Expansion Space	10.4
Fuel Tank Sump	10.4
Fuel Tank Filler Connection	10.4
Fuel Tank Vents	10.5
Fuel Tank Outlet	10.5
Pressure Fueling Systems	10.5
Fuel Pumps	10.5
Fuel System Lines And Fittings	10.5
Other Fuel System Components	10.5
Fuel Valves And Controls	10.5
Fuel Strainer Or Filter	10.6
Aircraft Fuel System Layout	10.6
Fuel Tanks	10.6
Integral Fuel Tanks	10.7
Bladder Fuel Tanks	10.9
Fuel Supply Systems	10.9
Fuel Feed	10.9
Cross-Feed And Transfer Systems	10.10
Fuel Dumping, Venting And Draining	10.10
Fuel System Drains	10.10
Fuel Vent Systems	10.10

Fuel Jettisoning System	10.12	Questions	10.39
Fuel System Components.....	10.13	Answers	10.40
Fuel Lines And Fittings	10.13		
Fuel Valves	10.14		
Manually-Operated Gate Valves	10.15		
Motor Operated Valves.....	10.15		
Solenoid-Operated Valves	10.16		
Fuel Pumps	10.16		
Centrifugal Boost Pumps.....	10.16		
Ejector Pumps.....	10.18		
Fuel Filters.....	10.18		
Fuel Indication And Warnings	10.20		
Fuel Quantity Indicating Systems.....	10.20		
Ratiometer Type	10.20		
Capacitance type.....	10.21		
Mechanical Type.....	10.23		
Fuel Flowmeters	10.23		
Fuel Temperature Gauges	10.24		
Fuel Heaters.....	10.24		
Fuel Pressure Gauges.....	10.25		
Pressure Warning Signal.....	10.25		
Valve-In-Transit Indicator Lights	10.26		
Refueling And Defueling.....	10.26		
Fueling	10.27		
Over The Wing Refueling	10.27		
Pressure Refueling	10.28		
Defueling	10.28		
Fire Hazards When Fueling Or Defueling	10.29		
Longitudinal Balance Systems.....	10.29		
Fuel System Repair.....	10.30		
Troubleshoot The Fuel System	10.30		
Location Of Leaks And Defects.....	10.30		
Fuel Leak Classification	10.30		
Replacement Of Gaskets, Seals And Packings.....	10.30		
Fuel Tank Repair	10.31		
Integral Tanks.....	10.31		
Bladder Tanks	10.31		
Fire Safety.....	10.33		
Fuel Servicing And Contamination.....	10.33		
Fuel And Fuel System Contaminants	10.33		
Water.....	10.33		
Solid Particle Contaminants.....	10.34		
Surfactants.....	10.35		
Microorganisms	10.35		
Foreign Fuel Contamination	10.35		
Detection Of Contaminants	10.36		
Fuel Contamination Control.....	10.38		
		SUB-MODULE 11	
		HYDRAULIC POWER (ATA 29)	
		Knowledge Requirements	11.1
		System Layout	11.2
		Open-Center Hydraulic Systems	11.2
		Closed-Center Hydraulic Systems	11.3
		Evolution Of Hydraulic Systems.....	11.4
		Hydraulic Power Pack System	11.4
		Modern High Performance Systems	11.4
		Hydraulic Fluid	11.4
		Properties	11.5
		Viscosity	11.5
		Chemical Stability	11.6
		Flash Point	11.6
		Fire Point	11.6
		Types Of Hydraulic Fluids	11.6
		Mineral-Based Fluids	11.6
		Polyalphaolefin-Based Fluids	11.6
		Phosphate Ester-Based Fluid (Skydrol®)	11.7
		Intermixing Of Fluids	11.7
		Compatibility With Aircraft Materials	11.7
		Hydraulic Fluid Contamination	11.7
		Contamination Check	11.7
		Hydraulic Sampling Schedule	11.8
		Sampling Procedure	11.8
		Contamination Control.....	11.8
		Filters	11.9
		Hydraulic System Flushing	11.9
		Health And Handling.....	11.9
		Hydraulic Reservoirs And Accumulators	11.9
		Reservoirs.....	11.9
		Non-Pressurized Reservoirs	11.10
		Pressurized Reservoirs	11.11
		Air-Pressurized Reservoirs	11.11
		Fluid-Pressurized Reservoirs.....	11.12
		Reservoir Servicing.....	11.13
		Accumulators	11.14
		Types Of Accumulators	11.14
		Spherical.....	11.14
		Cylindrical	11.15
		Maintenance of Accumulators.....	11.16
		Hydraulic Pressure Generation	11.16
		Mechanical, Electrical And Pneumatic-Driven Pumps.....	11.16
		Hand Pumps	11.17

CONTENTS

Classification Of Pumps	11.17
Constant Displacement Pumps	11.18
Gear Type Power Pump.....	11.18
Gerotor Pump	11.18
Piston Pumps	11.19
Bent Axis Piston Pump	11.19
Inline Piston Pump	11.20
Vane Pump	11.20
Variable Displacement Pumps	11.21
Basic Pumping Operation	11.21
Normal Pumping Mode.....	11.22
Depressurized Mode	11.23
Emergency Pressure Generation	11.23
Ram Air Turbine (RAT).....	11.24
Hydraulic Motors	11.24
Power Transfer Units (PTUs)	11.25
Hydraulic Motor Driven Generators (HMDGs)	11.25
Pressure Control	11.26
Relief Valves.....	11.26
Pressure Regulators	11.27
Pressure Reducers	11.27
Power Distribution	11.28
Shutoff Valves	11.28
Selector Valves	11.28
Check Valves	11.30
Orifice Type Check Valve.....	11.30
Sequence Valves	11.31
Pressure Controlled Sequence Valve	11.31
Mechanically Operated Sequence Valve	11.31
Priority Valves	11.32
Shuttle Valves.....	11.32
Quick Disconnect Valves.....	11.33
Hydraulic Fuses	11.33
Other Hydraulic System Components.....	11.33
Hydraulic Actuators	11.33
Linear Actuators	11.34
Rotary Actuators.....	11.35
Filters	11.35
Micron Type Filters	11.36
Maintenance Of Filters	11.36
Filter Bypass Valve	11.36
Filter Differential Pressure Indicators	11.36
Heat Exchangers	11.37
Hydraulic Seals.....	11.37
Packings	11.38
V-Rings	11.38
U-Ring	11.38

O-Rings	11.38
O-Ring Color Coding	11.39
Backup Rings	11.39
O-Ring Installation	11.39
Gaskets.....	11.40
Wipers	11.40
Hydraulic Indicating And Warning	11.40
Interface With Other Systems	11.43
Questions	11.45
Answers	11.46

SUB-MODULE 12

ICE AND RAIN PROTECTION (ATA 30)

Knowledge Requirements	12.1
Icing Effects.....	12.2
Ice Detection	12.3
Anti-Ice Versus De-Ice.....	12.5
Anti-Icing Systems	12.5
Thermal Pneumatic Anti-Icing	12.5
Wing Anti-Ice (WAI) System	12.6
Slat Leading Edges	12.8
WAI Operation	12.8
WAI Control	12.8
WAI Indication System	12.10
WAI System BITE Test	12.11
Engine Anti-Ice (EAI).....	12.12
Thermal Electric Anti-Icing	12.13
Probe Anti-Ice.....	12.13
Water System and Drain Anti-Ice	12.13
Windshield Anti-Ice	12.14
Propeller Anti-Ice	12.16
Chemical Anti-Icing	12.16
Ground Applied Anti-Ice	12.17
De-Icing Systems	12.18
Pneumatic De-Ice Boots	12.18
Construction and Installation of De-Ice Boots ..	12.18
Sources of Operating Air	12.18
Turbine Engine Bleed Air	12.19
Reciprocating Engine Aircraft	12.19
De-Ice Systems	12.19
System Operation.....	12.19
De-Ice System For Turboprop Aircraft	12.20
Inspection, Maintenance, And Troubleshooting Of Rubber De-Icer Boot Systems.....	12.23
Operational Checks	12.23
Adjustments	12.23
Troubleshooting	12.23

Inspection	12.24	Air-Ground Sensing.....	13.22
De-Ice Boot Maintenance	12.24	Steering.....	13.23
Electrical De-Icing Systems	12.25	Nose Wheel Steering.....	13.23
Electric Propeller De-Ice	12.25	Steering Damper.....	13.25
Electric Airfoil De-Ice Boots	12.26	Shimmy Dampers	13.26
Hot Air De-Ice/De-Fog	12.26	Piston Type	13.26
Chemical De-Ice Systems	12.27	Vane Type	13.26
Windshield Chemical De-Ice.....	12.27	Non-Hydraulic Shimmy Damper.....	13.27
Chemical Propeller De-Ice.....	12.27	Landing Gear System Maintenance	13.27
Chemical Ground De-Icing Of Aircraft	12.27	Landing Gear Rigging And Adjustment	13.27
Frost Removal	12.27	Adjusting Landing Gear Latches.....	13.28
De-Icing Fluid	12.28	Gear Door Clearances	13.29
Holdover Time (HOT)	12.28	Drag And Side Brace Adjustment	13.29
Critical Surfaces	12.28	Aircraft Wheels	13.30
Ice and Snow Removal.....	12.30	Wheel Construction	13.30
Rain Control Systems.....	12.30	Inboard Wheel Half	13.31
Windshield Wiper Systems	12.30	Outboard Wheel Half	13.32
Chemical Rain Repellent	12.30	Wheel Inspection.....	13.33
Windshield Surface Seal Coating	12.32	On Aircraft Inspection	13.33
Pneumatic Rain Removal Systems	12.32	Proper Installation	13.33
Questions	12.35	Axle Nut Torque	13.33
Answers	12.36	Off Aircraft Wheel Inspection.....	13.33

SUB-MODULE 13

LANDING GEAR (ATA 32)

Knowledge Requirements	13.1	Loosening the Tire from the Wheel Rim	13.34
Landing Gear Configurations.....	13.2	Disassembly of the Wheel	13.34
Tail Wheel Type Landing Gear.....	13.2	Cleaning the Wheel Assembly	13.35
Tandem Landing Gear	13.3	Inspection of the Wheel Halves	13.35
Tricycle Type Landing Gear	13.4	Wheel Tie Bolt Inspection	13.35
Fixed And Retractable Landing Gear	13.5	Key and Key Screw Inspection	13.35
Landing Gear Alignment And Support	13.7	Fusible Plug Inspection	13.36
Alignment	13.7	Balance Weights.....	13.36
Shock Absorbing	13.9	Wheel Bearings.....	13.36
Shock Struts.....	13.9	Cleaning the Wheel Bearings	13.36
Shock Strut Operation	13.13	Inspection of Wheel Bearings	13.36
Servicing Shock Struts	13.14	Bearing Handling And Lubrication.....	13.38
Bleeding Shock Struts.....	13.16	Aircraft Brakes	13.39
Extension And Retraction Systems: Normal.....	13.16	Types And Construction Of Aircraft Brakes	13.40
Emergency Extension Systems.....	13.18	Single Disc Brakes	13.40
Landing Gear Retraction Test.....	13.18	Floating Disc Brakes.....	13.40
Indications And Warning	13.19	Fixed Disc Brakes	13.41
Landing Gear Safety Devices	13.19	Dual Disc Brakes	13.43
Ground Locks	13.20	Multiple Disc Brakes	13.43
Nose Wheel Centering	13.20	Segmented Rotor Disc Brakes	13.43
Safety Switches	13.20	Carbon Brakes.....	13.46
Proximity Sensors	13.21	Expander Tube Brakes	13.47
		Brake Actuating Systems.....	13.48
		Independent Master Cylinders	13.48
		Boosted Brakes	13.51

CONTENTS

SUB-MODULE 14

LIGHTS (ATA 33)

Knowledge Requirements	14.1
Aircraft Lighting Systems	14.2
Exterior Lights.....	14.2
Navigation/Position Lights	14.2
Anti-Collision Lights	14.2
Landing Lights	14.3
Taxi Lights	14.3
Wing Ice Inspection Lights	14.4
Interior Lights	14.4
Flight Deck/Control Cabin Lighting	14.5
Passenger Cabin Lights	14.5
Cargo Compartment Lighting	14.6
Emergency Lighting	14.6

Questions	14.7
Answers	14.8

SUB-MODULE 15

OXYGEN (ATA 35)

Knowledge Requirements	15.1
Oxygen And The Atmosphere	15.2
Human Respiration And Circulation	15.2
Sources Of Oxygen	15.3
Oxygen Storage	15.4
Gaseous Oxygen Tanks	15.4
Chemical or Solid Oxygen	15.5
On board Oxygen Generating Systems (OBOGS)	15.6
Liquid Oxygen.....	15.6
Oxygen Charging.....	15.6
Oxygen Systems And Supply Regulation	15.8
Continuous-Flow Systems.....	15.8
System Layout: Cabin (Continuous Flow)	15.9
Demand-Flow Systems	15.11
Diluter-Demand	15.12
Pressure Demand	15.13
System Layout: Cockpit	15.13
Chemical Oxygen Systems	15.14
Electronic Pulse Demand Systems	15.15
LOX Systems.....	15.15
Oxygen System Distribution	15.15
Oxygen Indication And Warnings	15.16
Oxygen System Maintenance.....	15.17
Leak Testing Gaseous Oxygen Systems	15.17
Draining An Oxygen System	15.18
Purging An Oxygen System	15.19
Inspection Of Masks And Hoses	15.19
Replacement Of Tubing, Valves, And Fittings.....	15.20
Oxygen System Safety	15.20
Questions	15.21
Answers	15.22

SUB-MODULE 16

PNEUMATIC/VACUUM (ATA 36)

Knowledge Requirements	16.1
Vacuum Systems	16.2
System Layout	16.2
Cockpit	16.2
Cabin	16.2
Pneumatic Systems	16.2
High Pressure Systems	16.2
System Layout.....	16.2

Sources	16.3
Storage.....	16.3
Charging	16.4
Distribution.....	16.4
Supply Regulation.....	16.4
Emergency Back-Up Systems And Pneudraulics	16.5
Nitrogen Bottles.....	16.5
Gear Emergency Extension Cable and Handle	16.5
Dump Valve	16.5
Emergency Extension Sequence:	16.6
High Pressure Pneumatic Power	
System Maintenance.....	16.6
Medium Pressure Pneumatic Systems	16.7
System Layout.....	16.7
Sources	16.7
Storage.....	16.7
Pressure Control	16.7
Distribution.....	16.8
Pressure and Vacuum Pumps	16.11
Overview	16.11
Classification of Pumps	16.11
Types of Pumps.....	16.12
Vane Pump, Wet-Type and Dry-Type	16.12
Piston Pump	16.12
Centrifugal Impeller Pump	16.13
Turbine Engine Compressor	16.13
Roots Type Blower	16.14
Vacuum Pumps.....	16.14
Flight Deck Indications	16.14
Indications and Warnings	16.15
Interface With Other Systems.....	16.16
Questions	16.17
Answers	16.18

SUB-MODULE 17

WATER/WASTE (ATA 38)

Knowledge Requirements	17.1
Layout	17.2
Supply.....	17.2
Distribution	17.2
Servicing	17.3
Draining.....	17.4
Toilet Systems.....	17.4
Flushing	17.5
Layout	17.6
Servicing	17.6
Corrosion Aspects	17.6

CONTENTS

Questions	17.9
Answers	17.10

SUB-MODULE 18

ON BOARD MAINTENANCE SYSTEMS (ATA 45)

Knowledge Requirements	18.1
Central Maintenance Computers	18.2
BITE	18.4
Data Loading Systems.....	18.5
Electronic Library System	18.6
Printing	18.6
Structure Monitoring	18.7
Questions	18.9
Answers	18.10

SUB-MODULE 19

INTEGRATED MODULAR AVIONICS (ATA 42)

Knowledge Requirements	19.1
Introduction	19.2
Integration of Avionics	19.2
Digital Data Bus Use Reduces Wiring.....	19.3
Core System	19.5
Common Core Systems Concepts	19.5
Core Processor Input/Output Module (CPIOM)	19.5
Network Components	19.6
777 AIMS	19.6
Questions	19.11
Answers	19.12

SUB-MODULE 20

CABIN SYSTEMS (ATA 44)

Knowledge Requirements	20.1
Introduction	20.2
Cabin Intercommunication Data System	20.2
Cabin Network Service.....	20.2
Cabin Core System	20.3
777 Cabin Services System	20.3
InFlight Entertainment (IFE)	20.4
Simple IFE System	20.5
IFE Server.....	20.5
External Communication System	20.5
Cabin Mass Memory System	20.6
Cabin Monitoring System	20.6
Miscellaneous Cabin Systems	20.7
Questions	20.9
Answers	20.10

SUB-MODULE 21

INFORMATION SYSTEMS (ATA 46)

Knowledge Requirements	21.1
Aircraft General Information Systems	21.2
The Airbus System	21.2
Network Server System (NSS)	21.2
Secure Communication Interface	21.3
Central Data Acquisition Module (CDAM)	21.3
Data Loading And Configuration Systems....	21.3
Flight Deck Information System	21.3
777 Electronic Flight Bag.....	21.3
Maintenance Information System.....	21.4
Passenger Cabin Information System	21.4
Miscellaneous Information Systems	21.5
Questions	21.7
Answers	21.8

Acronym Index.....	A.1
Index	I.1

11.1 - THEORY OF FLIGHT

AEROPLANE AERODYNAMICS AND FLIGHT CONTROLS

The directional control of a fixed wing aircraft takes place around the lateral, longitudinal, and vertical axes by means of flight control surfaces designed to create movement about these axes. These control devices are hinged or movable surfaces through which the attitude of an aircraft is controlled during takeoff, flight, and landing. They are usually divided into two major groups: 1) primary or main flight control surfaces and 2) secondary or auxiliary control surfaces.

PRIMARY FLIGHT CONTROL SURFACES

The primary flight control surfaces on a fixed wing aircraft include: ailerons, elevators, and the rudder. The ailerons are attached to the trailing edge of both wings and when moved, rotate the aircraft around the longitudinal axis. The elevator is attached to the trailing edge of the horizontal stabilizer. When it is moved, it alters aircraft pitch, which is the attitude about the horizontal or lateral axis. The rudder is hinged to the trailing edge of the vertical stabilizer. When the rudder changes position, the aircraft rotates about the vertical axis (yaw). *Figure 1-1* shows the primary flight controls of a light aircraft and the movement they create relative to the three axes of flight.

Primary control surfaces are usually similar in construction to one another and vary only in size, shape, and methods of attachment. On aluminum light aircraft, their structure is often similar to an all metal wing. This is appropriate because the primary control surfaces are simply smaller aerodynamic devices. They are typically made from an aluminum alloy structure built around a single spar member or torque tube to which ribs are fitted and a skin is attached. The lightweight ribs are, in many cases, stamped out from flat aluminum sheet stock. Holes in the ribs lighten the assembly. An aluminum skin is attached with rivets. *Figure 1-2* illustrates this type of structure, which can be found on the primary control surfaces of light aircraft as well as on medium and heavy aircraft.

Primary control surfaces constructed from composite materials are also commonly used. These are found on many heavy and high performance aircraft, as well as

gliders, homebuilt, and light sport aircraft. The weight and strength advantages over traditional construction can be significant. A wide variety of materials and construction techniques are employed. *Figure 1-3* shows examples of aircraft that use composite technology on primary flight control surfaces. Note that the control surfaces of fabric covered aircraft often have fabric covered surfaces just as aluminum skinned (light) aircraft typically have all aluminum control surfaces. There is a critical need for primary control surfaces to be balanced so they do not vibrate or flutter in the wind.




Figure 1-1. Flight control surfaces move the aircraft around the three axes of flight.




Figure 1-2. Typical structure of an aluminum flight control surface.



Figure 1-3. Composite control surfaces and some of the many aircraft that utilize them.

Performed to manufacturer's instructions, balancing usually consists of assuring that the center of gravity of a particular device is at or forward of the hinge point. Failure to properly balance a control surface could lead to catastrophic failure. **Figure 1-4** illustrates several aileron configurations with their hinge points well aft of the leading edge. This is a common design feature used to prevent flutter.

OPERATION AND EFFECT OF ROLL CONTROL DEVICES

AILERONS

Ailerons are the primary flight control surfaces that move the aircraft about the longitudinal axis. In other words, movement of the ailerons in flight causes the

aircraft to roll. Ailerons are usually located on the outboard trailing edge of each of the wings. They are built into the wing and are calculated as part of the wing's surface area. **Figure 1-5** shows aileron locations on various wing tip designs.

Ailerons are controlled by a side to side motion of the control stick in the cockpit or a rotation of the control yoke. When the aileron on one wing deflects down, the aileron on the opposite wing deflects upward. This amplifies the movement of the aircraft around the longitudinal axis. On the wing on which the aileron trailing edge moves downward, camber is increased and lift is increased. Conversely, on the other wing, the raised aileron decreases lift. (**Figure 1-6**) The result is a sensitive response to the control input to roll the aircraft.

The pilot's request for aileron movement and roll are transmitted from the cockpit to the actual control surface in a variety of ways depending on the aircraft. A system of control cables and pulleys, push pull tubes, hydraulics, electric, or a combination of these can be employed. (**Figure 1-7**)




Figure 1-4. Aileron hinge locations are very close to but aft of the center of gravity to prevent flutter.




Figure 1-5. Aileron location on various wings.




Figure 1-6. Differential aileron control movement. When one aileron is moved down, the aileron on the opposite wing is deflected upward.




Figure 1-7. Transferring control surface inputs from the cockpit.

Simple, light aircraft usually do not have hydraulic or electric fly by wire aileron control. These are found on heavy and high performance aircraft. Large aircraft and some high performance aircraft may also have a second set of ailerons located inboard on the trailing edge of the wings. These are part of a complex system of primary and secondary control surfaces used to provide lateral control and stability in flight. At low speeds, the ailerons may be augmented by the use of flaps and spoilers. At high speeds, only inboard aileron deflection is required to roll the aircraft while the other control surfaces are locked out or remain stationary. **Figure 1-8** illustrates the location of the typical flight control surfaces found on a transport category aircraft.

SPOILERS

A spoiler is a device found on the upper surface of many heavy and high performance aircraft. It is stowed flush to the wing's upper surface. When deployed, it raises up into the airstream and disrupts the laminar airflow of the wing, thus reducing lift.

Spoilers are made with similar construction materials and techniques as the other flight control surfaces on the aircraft. Often, they are honeycomb core flat panels. At low speeds, spoilers are rigged to operate when the ailerons operate to assist with the lateral movement and




Figure 1-8. Typical flight control surfaces on a transport category aircraft.

stability of the aircraft. On the wing where the aileron is moved up, the spoilers also raise thus amplifying the reduction of lift on that wing. (*Figure 1-9*)

On the wing with downward aileron deflection, the spoilers remain stowed. As the speed of the aircraft increases, the ailerons become more effective and the spoiler interconnect disengages. Note that spoilers are also used in as drag inducing devices.

OPERATION AND EFFECT OF PITCH CONTROL DEVICES

ELEVATORS

The elevator is the primary flight control surface that moves the aircraft around the horizontal or lateral axis. This causes the nose of the aircraft to pitch up or down. The elevator is hinged to the trailing edge of the horizontal stabilizer and typically spans most or all of its width. It is controlled in the cockpit by pushing or pulling the control yoke forward or aft.

Light aircraft use a system of control cables and pulleys or push pull tubes to transfer cockpit inputs to the movement of the elevator. High performance and large aircraft typically employ more complex systems. Hydraulic power is commonly used to move the elevator on these aircraft. On aircraft equipped with fly by wire controls, a combination of electrical and hydraulic power is used.

STABILATORS

A movable horizontal tail section, called a stabilator, is a control surface that combines the action of both the horizontal stabilizer and the elevator. (*Figure 1-10*) Basically, a stabilator is a horizontal stabilizer that can also be rotated about the horizontal axis to affect the pitch of the aircraft.

VARIABLE INCIDENCE STABILIZERS

A variable incidence stabilizer refers to any horizontal stabilizer in which the angle of incidence of the horizontal stabilizer is adjustable. Thus, a stabilator is a variable incidence horizontal stabilizer. Various mechanisms and operating rigging are available. Most large aircraft use a motorized jackscrew to alter the position of the stabilizer often energized by the trim tab switch on the control yoke. The reason for a stabilator or any horizontal stabilizer variable incidence device is

to minimize drag when trimming the aircraft in flight. Deflection of the elevator via the use of a trim tab causes drag and requires a relatively large elevator on large aircraft to achieve all desired trim settings. By varying the angle of the horizontal stabilizer to adjust pitch, less drag is created and elevator size and deflection may be reduced. (*Figure 1-11*)

CANARDS

A canard utilizes the concept of two lifting surfaces. It functions as a horizontal stabilizer located in front of the main wings. In effect, the canard is an airfoil similar to the horizontal surface on a conventional aft tail design. The difference is that the canard actually creates lift and



Figure 1-9. Spoilers deployed upon landing a transport category aircraft.



Figure 1-10. A stabilizer and index marks on a transport category aircraft.




Figure 1-11. Some airplanes, including most jet transports, use an variable stabilizer to provide the required pitch trim forces.

holds the nose up, as opposed to the aft tail design which exerts downward force on the tail to prevent the nose from rotating downward. (*Figure 1-12*)

The canard design dates back to the pioneer days of aviation, most notably used on the Wright Flyer. Recently, the canard configuration has regained popularity and is appearing on newer aircraft. Canard designs include two types, one with a horizontal surface of about the same size as a normal aft tail design, and the other with a surface of the same approximate size and airfoil shape of the aft mounted wing known as a tandem wing configuration. Theoretically, the canard is considered more efficient because using the horizontal surface to help lift the weight of the aircraft should result in less drag for a given amount of lift.

OPERATION AND EFFECT OF YAW CONTROL DEVICES

RUDDERS

The rudder is the primary control surface that causes an aircraft to yaw or move about the vertical axis. This provides directional control and thus points the nose of the aircraft in the direction desired. Most aircraft have a single rudder hinged to the trailing edge of the vertical stabilizer. It is controlled by a pair of foot operated rudder pedals in the cockpit. When the right pedal is pushed forward, it deflects the rudder to the right which moves the nose of the aircraft to the right. The left pedal is rigged to simultaneously move aft. When the left pedal is pushed forward, the nose of the aircraft moves to the left.



Figure 1-12. The Piaggio P180 includes a variable-sweep canard design, which provides longitudinal stability about the lateral axis.

As with the other primary flight controls, the transfer of the movement of the cockpit controls to the rudder varies with the complexity of the aircraft. Many aircraft incorporate the directional movement of the nose or tail wheel into the rudder control system for ground operation. This allows the operator to steer the aircraft with the rudder pedals during taxi when the airspeed is not high enough for the control surfaces to be effective. Some large aircraft have a split rudder arrangement. This is actually two rudders, one above the other. At low speeds, both rudders deflect in the same direction when the pedals are pushed. At higher speeds, one of the rudders becomes inoperative as the deflection of a single rudder is aerodynamically sufficient to maneuver the aircraft.

RUDDER LIMITERS

In flight, most large aircraft oscillate slightly from side to side. Yaw dampener units automatically detect this movement and send signals to the hydraulic power control unit (PCU) that moves the rudder so that it can correct for these yaw oscillations. Similarly, rudders are known to deflect without being commanded to do so by the flight crew. Again, the yaw dampener is designed to correct the fluctuations by signaling the PCU. However, too large of an involuntary deflection to a rudder can cause a loss of control of the aircraft.

A rudder limiter is fitted to many aircraft to prevent any more than a few degrees of involuntary motion of the rudder. Essentially, it limits the movement unless it is commanded from the flight deck.